C8766 Series[C][3]-SDS_UK-English-46.pdf

C8766 Series[M][3]-SDS_UK-English-45.pdf

C8766 Series[Y][3]-SDS_UK-English-47.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	C8766 Series[C][3]	
Registration number	-	
Synonyms	None.	
Issue date	21-Oct-2014	
Version number	05	
Revision date	19-Oct-2018	
Supersedes date	07-May-2016	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Inkjet printing	
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
	HP Inc. UK Limited	
	Cain Road, Amen Corner	
	Bracknell, Berkshire RG12 1HN	
	United Kingdom	
Telephone	44 (0) 879 013 0790	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
1.4 Emergency telephone number	0207771 5307	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

000	,
Contains:	1,5-pentanediol, 2-pyrrolidone, Cyan 854, Magnesium nitrate hexahydrate, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients						
2. Mixtures						
eneral information						
Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water		65-75	7732-18-5 231-791-2	-	-	
Classification:	-					
1,5-pentanediol		<10	111-29-5 203-854-4	01-2119449341-44-0006	-	
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	19				
Cyan 854		< 5	375380-28-2 428-120-2	01-0000017445-69-XXXX	-	
Classification:	Eye Dam. 1;H	318				
Magnesium nitrate hexa	ahydrate	< 5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification:	-					
omposition comments	This ink supply contains an aqueous ink formulation.					
SECTION 4: First aid	measures					
eneral information	Not avai	lahle				

Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

Move to fresh air. If symptoms persist, get medical attention.

SECTION 5: Firefighting measures

4.1. Description of first aid measures

Inhalation

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide. For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

For non-emergency	ctive equipment and emergency procedures Wear appropriate personal protective equipment.
personnel For emergency responders	Not available.
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
6.4. Reference to other sections	Not available.
SECTION 7: Handling and	storage
SECTION 7: Handling and 7.1. Precautions for safe handling	storage Avoid contact with skin, eyes and clothing.
7.1. Precautions for safe	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.

Derived no effect levels (DNELs)

Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Consumers	Dermal	6 mg/kg bw/d	Systemic long term
			Dermal	167 mg/kg bw/d	Systemic acute short tern
			Inhalation	17.1 mg/m3	Systemic long term
			Oral	5.2 mg/kg bw/d	Systemic long term
			Oral	33.3 mg/kg bw/d	Systemic acute short term
		Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
			Dermal	10 mg/kg bw/d	Systemic long term
			Inhalation	57.8 mg/m3	Systemic long term
Magnesium nitrate hexahyd 10377-60-3)	rate (CAS	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term
			Inhalation	10.9 mg/m3	Systemic long term
			Oral	12.5 mg/kg bw/d	Systemic long term
		Workers	Dermal	20.8 mg/kg bw/d	Systemic long term
			Inhalation	36.7 mg/m3	Systemic long term
Predicted no effect concentrat	ions (PNECs)			
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Not applicable	Freshwater	0.5 mg/l	
			Intermittent	0.5 mg/l	Releases
			Marine water	0.05 mg/l	
			Sediment	0.4205 mg/kg	Freshwater
			Soil	0.0612 mg/kg	
			STP	10 mg/l	Sewage Treatment Plant
Magnesium nitrate hexahydrate (CAS 10377-60-3)		Not applicable	Freshwater	0.45 mg/l	
			Intermittent	4.5 mg/l	Releases
			Marine water	0.045 mg/l	
			STP	18 mg/l	Sewage Treatment Plant
Exposure guidelines	Exposure	limits have not been es	stablished for this	product.	
3.2. Exposure controls					
Appropriate engineering controls	Use in a well ventilated area.				
ndividual protection measure	s, such as pe	rsonal protective equ	upment		
General information	Use personal protective equipment to minimize exposure to skin and eye.				

Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormNot available.ColorCyanOdorNot available.Odor thresholdNot available.pH6.2 - 6.8Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlarmability (solid, gas)Not determinedFlarmability (solid, gas)Not determinedFlarmability limit - lower (%)Not determinedFlarmability limit - upper (%)Not determinedSolubility (water)Soluble in waterSolubility (water)Soluble in waterAuto-ignition temperatureNot available.Auto-ignition temperatureNot available.PiccositySolub in (xavailable.ViscositySolub is (xavailable.ViscositySolub is (xavailable.ViscosityNot available.ViscosityNot available.ViscositySolub is (xavailable.ViscositySolub is (xavailable.ViscosityNot available.ViscosityNot available. <tr< th=""></tr<>
ColorCyanOdorNot available.Odor thresholdNot available.pH6.2 - 6.8Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or exploredNot available.Upper/lower flammability or exploredNot available.Vapor pressureNot determinedVapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility(ies)Soluble in waterPartition coefficient (n-octanol/water)Not available.Vato-ignition temperatureNot available.Not available.Not available.PerminedNot available.Mot available.Not available.Not determinedNot available.Solubility(ies)Soluble in waterPartition coefficient (n-octanol/water)Not available.Not available.Not available.Partition temperatureNot available.Not available.Not available.Partition temperatureNot available.Not available.Not available.Out available.Not available.Not available.Not available.
OdorNot available.Odor thresholdNot available.pH6.2 - 6.8Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or exp:ve limitsFlammability limit - lowerNot determined(%)Not available.Vapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Soluble in waterAuto-ignition temperatureNot available.Vato-ignition temperatureNot available.Not available.Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Not available.Not available.Composition temperatureNot available.Partition coefficient (n-octanol/water)Soluble in waterAuto-ignition temperatureNot available.Partition coefficient (n-octanol/water)Not available.Partition coefficient (n-octanol/water)Not available.Partition coefficient (n-octanol/water)Not available.Partition temperatureNot available.Partition temperatureNot available.Partition temperatureNot available.Partition temperatureNot available.Partition temperatu
OdorNot available.Odor thresholdNot available.pH6.2 - 6.8Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not determinedVapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility(ies) solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Uto-ignition temperatureNot available.Vato-ignition temperatureNot available.
pH6.2 - 6.8Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explore imitsNot determinedFlammability limit - lower (%)Not determinedFlammability limit - lower (%)Not determinedVapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Hauto-ignition temperatureNot available.Not available.Not available.Mot available.Not available.Not available.Not available.Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Not available.Not available.Decomposition temperatureNot available.
Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Flammability limit - lower (%)Not determinedVapor pressureNot determinedVapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Uto available.Not available.
Initial boiling point and boiling rangeNot determinedFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsNot determinedFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility(ies)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
rangeFlash point> 200.0 °F (> 93.3 °C) Pensky-Martens Closed CupEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot available.Vapor density>= 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Evaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot determinedVapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot available.Vapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility(ies) solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not determined (%)Flammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Flammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
(%)Flammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density>= 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
(%) Vapor pressure Not determined Vapor density >= 1 (air = 1.0) Solubility(ies) Solubility (water) Soluble in water Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available.
Vapor density>= 1 (air = 1.0)Solubility(ies)Soluble in waterPartition coefficientNot available.(n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Partition coefficient Not available. (n-octanol/water) Not available. Auto-ignition temperature Not available. Decomposition temperature Not available.
(n-octanol/water)Auto-ignition temperatureNot available.Decomposition temperatureNot available.
Decomposition temperature Not available.
Viscosity >= 2 cp
Explosive properties Not available.
Oxidizing properties Not determined
9.2. Other information
VOC < 221 g/L

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information

Not available.

Information on likely routes of e	xposure		
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Health injuries are not known or expected under normal use.		
Symptoms	Not available.		
11.1. Information on toxicologic	al effects		
Acute toxicity	Based on available data, the classification criteria are not met.		
Components	Species	Test Results	
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Based on available data, the classification criteria are not met. Non irritant in rabbit (OECD 404)		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met. Not classified as an irritant according to, Rabbit Enucleated Eye Test.		
Respiratory sensitization	Based on available data, the classification criteri	a are not met.	
Skin sensitization	Based on available data, the classification criteri	a are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Mixture versus substance information	Not available.		
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		
SECTION 12: Ecological i	nformation		
12.1. Toxicity			
Aquatic toxicity	LC50/96h/rainbow trout => 100 mg/l		

Aquatic toxicity	EC50/48h/dap	bow trout => 100 mg/l hnia => 100mg/l, OECD 202 ae => 100 mg/l, OECD 201		
Components		Species	Test Results	
2-pyrrolidone (CAS 616-45-5)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
12.2. Persistence and degradability	Not available.			
12.3. Bioaccumulative potential	Not available.			
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85		
Bioconcentration factor (BCF)	Not available.			
12.4. Mobility in soil	Not available.			
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.			
12.6. Other adverse effects	Not available.			

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Not available.

Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other infor	mation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H318 Causes serious eye damage. H319 Causes serious eye irritation.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

A 0.011	American Conference of Covernmental Industrial University
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
I	WB01 English.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name or designation of the mixture	C8766 Series[M][3]		
Registration number	-		
Synonyms	None.		
Issue date	21-Oct-2014		
Version number	05		
Revision date	19-Oct-2018		
Supersedes date	07-May-2016		
1.2. Relevant identified uses o	f the substance or mixture and uses advised against		
Identified uses	Inkjet printing		
Uses advised against	None known.		
1.3. Details of the supplier of the safety data sheet			
	HP Inc. UK Limited		
	Cain Road, Amen Corner		
	Bracknell, Berkshire RG12 1HN		
	United Kingdom		
Telephone	44 (0) 879 013 0790		
HP Inc. health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-760-710-0048		
HP Inc. Customer Care Line			
(Toll-free within the US)	1-800-474-6836		
(Direct)	1-208-323-2551		
Email:	hpcustomer.inquiries@hp.com		
1.4 Emergency telephone number	0207771 5307		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	1,5-pentanediol, 2-pyrrolidone, Magnesium nitrate hexahydrate, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

.2. Mixtures					
General information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	65-75	7732-18-5 231-791-2	-	-	
Classification: -		231-791-2			
1,5-pentanediol	<10	111-29-5 203-854-4	01-2119449341-44-0006	-	
Classification: -					
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Eye	e Irrit. 2;H319				
Magnesium nitrate hexahydra	ite < 5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification: -					
omposition comments	This ink supply c	contains an aqueous i	nk formulation.		
SECTION 4: First aid mea	sures				
eneral information	Not available.				
1. Description of first aid meas	sures				
Inhalation	Remove to fresh	air. If symptoms pers	ist, get medical attention.		
Skin contact	Wash affected a develops or pers		nild soap and water. Get medic	al attention if irrit	ation
Eye contact			h large amounts of clean, warn emoved. If irritation persists ge		
Ingestion	If ingestion of a l	arge amount does oc	cur, seek medical attention.		
2. Most important symptoms nd effects, both acute and elayed	Not available.				
.3. Indication of any nmediate medical attention	Not available.				
nd special treatment needed					
SECTION 5: Firefighting r					
eneral fire hazards	Not available.				
1. Extinguishing media Suitable extinguishing media	Dry chemical, C	O2, water spray or rec	jular foam.		
Unsuitable extinguishing media	None known.				
.2. Special hazards arising om the substance or mixture	Not available.				
3. Advice for firefighters Special protective	Not available.				
equipment for firefighters Special fire fighting	Not available.				

SECTION 6: Accidental release measures

procedures Specific methods

6.1. Personal precautions, protective equipment and emergency procedures

None established.

6.2. Environmental precautions		product enter drains. D			
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.				
6.4. Reference to other sections	Not available.				
SECTION 7: Handling and	storage				
7.1. Precautions for safe handling	Avoid cont	act with skin, eyes and	d clothing.		
7.2. Conditions for safe storage, including any ncompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.				
7.3. Specific end use(s)	Not availal	ble.			
SECTION 8: Exposure con	trols/per	sonal protection			
3.1. Control parameters					
Occupational exposure limits	No exposu	ire limits noted for ingr	edient(s).		
Biological limit values	No biologi	cal exposure limits not	ed for the ingredie	nt(s).	
Recommended monitoring procedures	Not availal	ble.			
Derived no effect levels (DNELs) Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Consumers	Dermal		
z-pyrrolidone (CAS 616-45-5)		Consumers	Dermal	6 mg/kg bw/d	Systemic long term
			Inhalation	167 mg/kg bw/d 17.1 mg/m3	Systemic acute short terr Systemic long term
			Oral	5.2 mg/kg bw/d	Systemic long term
			Oral	33.3 mg/kg bw/d	Systemic acute short terr
		Workers	Dermal	277 mg/kg bw/d	Systemic acute short terr
		WORKERS	Dermal	10 mg/kg bw/d	Systemic long term
			Inhalation	57.8 mg/m3	Systemic long term
Magnesium nitrate hexahydrate 10377-60-3)	e (CAS	Consumers	Dermal	12.5 mg/kg bw/d	Systemic long term
,			Inhalation	10.9 mg/m3	Systemic long term
			Oral	12.5 mg/kg bw/d	Systemic long term
		Workers	Dermal	20.8 mg/kg bw/d	Systemic long term
			Inhalation	36.7 mg/m3	Systemic long term
Predicted no effect concentration	is (PNECs)				
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Not applicable	Freshwater	0.5 mg/l	
			Intermittent	0.5 mg/l	Releases
			Marine water	0.05 mg/l	
			Sediment	0.4205 mg/kg	Freshwater
			Soil	0.0612 mg/kg	
			STP	10 mg/l	Sewage Treatment Plant
Magnesium nitrate hexahydrate 10377-60-3)	e (CAS	Not applicable	Freshwater	0.45 mg/l	
			Intermittent	4.5 mg/l	Releases
			Marine water	0.045 mg/l	
			STP	18 mg/l	Sewage Treatment Plant

Exposure guidelines 8.2. Exposure controls

Appropriate engineering Use in a well ventilated area.

controls Individual protection measures, such as personal protective equipment

mulvidual protection measure	es, such as personal protective equipment
General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.

SECTION 9: Physical and chemical properties

SECTION 9: Physical and	chemical properties
9.1. Information on basic physic	al and chemical properties
Appearance	
Physical state	Liquid.
Form	Not available.
Color	Magenta
Odor	Not available.
Odor threshold	Not available.
рН	6.2 - 6.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	>= 1 (air = 1.0)
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	< 221 g/L
SECTION 10: Stability and	d reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General	information
General	mormation

Not available.

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Health injuries are not known or expected under normal use.
Symptoms	Not available.

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.			
Components	Species Test Results			
2-pyrrolidone (CAS 616-45-5)				
Acute				
Oral				
LD50	Rat	> 5000 mg/kg		
Skin corrosion/irritation	Based on available data, the classificati Non irritant in rabbit (OECD 404)	on criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classificati Not classified as an irritant according to			
Respiratory sensitization	Based on available data, the classificati	on criteria are not met.		
Skin sensitization	Based on available data, the classificati	on criteria are not met.		
Germ cell mutagenicity	Based on available data, the classificati	on criteria are not met.		
Carcinogenicity	Based on available data, the classificati	on criteria are not met.		
Reproductive toxicity	Based on available data, the classificati	on criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classificati	on criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classificati	on criteria are not met.		
Aspiration hazard	Based on available data, the classificati	on criteria are not met.		
Mixture versus substance information	Not available.			
Other information	Complete toxicity data are not available Refer to Section 2 for potential health et	for this specific formulation ffects and Section 4 for first aid measures.		

SECTION 12: Ecological information

12.1. Toxicity Aquatic toxicity

LC50/	96h/rainbow trout => 100 mg/l
EC50/	48h/daphnia => 100mg/l, OECD 202
EC50/	72h/algae => 100 mg/l, OECD 201

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or	vPvB substance or mixture.	
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Eorogalatione	
Regulation (EC) No. 1005/20 Not listed.	09 on substances that deplete the ozone layer, Annex I
Regulation (EC) No. 1005/20 Not listed.	09 on substances that deplete the ozone layer, Annex II
	4 On persistent organic pollutants, Annex I as amended
	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
	2 concerning the export and import of dangerous chemicals, Annex V as amended
	6 Annex II Pollutant Release and Transfer Registry
	06, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/201 Not listed.	1 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907/20	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed. Directive 2004/37/EC: on the work	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not regulated.	
Other EU regulations	
Directive 2012/18/EU on maj Not listed.	or accident hazards involving dangerous substances, as amended
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.

SECTION 16: Other information

SECTION 16. Other Infor	haton
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Cada of Faderal Demulations
COC	Code of Federal Regulations
000	Cleveland Open Cup
DOT	
	Cleveland Open Cup
DOT	Cleveland Open Cup Department of Transportation
DOT EPCRA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA)
DOT EPCRA IARC	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer
DOT EPCRA IARC NIOSH	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health
DOT EPCRA IARC NIOSH NTP	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program
DOT EPCRA IARC NIOSH NTP OSHA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration
DOT EPCRA IARC NIOSH NTP OSHA PEL	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL SARA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit Superfund Amendments and Reauthorization Act of 1986
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL SARA STEL	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit Superfund Amendments and Reauthorization Act of 1986 Short-Term Exposure Limit
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL SARA STEL TCLP	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit Superfund Amendments and Reauthorization Act of 1986 Short-Term Exposure Limit Toxicity Characteristics Leaching Procedure

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading	
	io inclusion into/onto article (indoor)
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are	
	is based on the individuel ingredients and their concentration within the mixture.
	ne classification are stated in Section 3 of the SDS.
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
I	WB01 English.pdf



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	C8766 Series[Y][3]
Registration number	-
Synonyms	None.
Issue date	21-Oct-2014
Version number	05
Revision date	18-Oct-2018
Supersedes date	07-May-2016
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	1,5-pentanediol, 2-pyrrolidone, Magnesium nitrate hexahydrate, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

8.2. Mixtures					
General information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	65-75	7732-18-5	-	-	
Classification: -		231-791-2			
1,5-pentanediol	<10	111-29-5 203-854-4	01-2119449341-44-0006	-	
Classification: -					
2-pyrrolidone	< 7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification: Eye	e Irrit. 2;H319				
Magnesium nitrate hexahydra	ite < 5	10377-60-3 233-826-7	01-2119491164-38-XXXX	-	
Classification: -					
omposition comments	This ink supply c	contains an aqueous i	nk formulation.		
SECTION 4: First aid mea	sures				
eneral information	Not available.				
1. Description of first aid meas	sures				
Inhalation	Remove to fresh	air. If symptoms pers	ist, get medical attention.		
Skin contact		Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.			
Eye contact			h large amounts of clean, warn emoved. If irritation persists ge		
Ingestion	If ingestion of a I	arge amount does oc	cur, seek medical attention.		
.2. Most important symptoms nd effects, both acute and elayed	Not available.				
.3. Indication of any nmediate medical attention	Not available.				
nd special treatment needed SECTION 5: Firefighting r	mogeuroe				
eneral fire hazards	Not available.				
.1. Extinguishing media					
Suitable extinguishing media media	Dry chemical, C	D2, water spray or reg	jular foam.		
Unsuitable extinguishing media	None known.				
.2. Special hazards arising rom the substance or mixture	Not available.				
3. Advice for firefighters Special protective equipment for firefighters	Not available.				
Special fire fighting	Not available.				

SECTION 6: Accidental release measures

procedures Specific methods

6.1. Personal precautions, protective equipment and emergency procedures

None established.

For non-emergency Wear appropriate personal protective equipment. personnel For emergency responders Not available.

6.2. Environmental precautions	-	product enter drains. E			
6.3. Methods and material for containment and cleaning up		billed material, where t ceous earth, commerce			rbent such as dry clay, san
6.4. Reference to other sections	Not availat	ble.			
SECTION 7: Handling and	storage				
7.1. Precautions for safe	Avoid cont	act with skin, eyes and	d clothing.		
7.2. Conditions for safe storage, including any ncompatibilities	Keep out o	f the reach of children	. Keep away from	excessive heat or c	old.
7.3. Specific end use(s)	Not availat	ole.			
SECTION 8: Exposure con	trols/per	sonal protection			
3.1. Control parameters					
Occupational exposure limits	No exposu	re limits noted for ingr	edient(s).		
Biological limit values	No biologio	al exposure limits not	ed for the ingredie	nt(s).	
Recommended monitoring procedures	Not availat	ble.			
Derived no effect levels (DNELs)		_	_ /		_
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d	Systemic long term Systemic acute short terr Systemic long term Systemic long term Systemic acute short terr Systemic acute short terr
			Dermal	10 mg/kg bw/d	Systemic long term
Magnesium nitrate hexahydrate 10377-60-3)	e (CAS	Consumers	Inhalation Dermal	57.8 mg/m3 12.5 mg/kg bw/d	Systemic long term Systemic long term
,		Workers	Inhalation Oral Dermal	10.9 mg/m3 12.5 mg/kg bw/d 20.8 mg/kg bw/d	Systemic long term Systemic long term Systemic long term
			Inhalation	36.7 mg/m3	Systemic long term
Predicted no effect concentration	is (PNECs)		Devite	Value	Form
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Not applicable	Freshwater Intermittent Marine water	0.5 mg/l 0.5 mg/l 0.05 mg/l	Releases
			Sediment Soil STP	0.4205 mg/kg 0.0612 mg/kg 10 mg/l	Freshwater Sewage Treatment Plant
Magnesium nitrate hexahydrate	e (CAS	Not applicable	Freshwater	0.45 mg/l	Sewaye meannent Plant
10377-60-3)			Intermittent	4.5 mg/l	Releases

8.2. Exposure controls

Appropriate engineering Use in a well ventilated area.

controls Individual protection measures, such as personal protective equipment

mulvidual protection measure	es, such as personal protective equipment
General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.

SECTION 9: Physical and chemical properties

SECTION 9: Physical and	chemical properties
9.1. Information on basic physic	al and chemical properties
Appearance	
Physical state	Liquid.
Form	Not available.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
рН	6.2 - 6.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	>= 1 (air = 1.0)
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	< 221 g/L
SECTION 10: Stability and	d reactivity
· · · · · ·	

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General	information

Not available.

Information on likely routes of exposure

intormation on intery rout	es of exposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Health injuries are not known or expected under normal use.
Symptoms	Not available.

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteri	a are not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteri Non irritant in rabbit (OECD 404)	a are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteri Not classified as an irritant according to, OECD	
Respiratory sensitization	Based on available data, the classification criteri	a are not met.
Skin sensitization	Based on available data, the classification criteri	a are not met.
Germ cell mutagenicity	Based on available data, the classification criteri	a are not met.
Carcinogenicity	Based on available data, the classification criteri	a are not met.
Reproductive toxicity	Based on available data, the classification criteri	a are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteri	a are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteri	a are not met.
Aspiration hazard	Based on available data, the classification criteri	a are not met.
Mixture versus substance information	Not available.	
Other information	Complete toxicity data are not available for this s Refer to Section 2 for potential health effects and	

SECTION 12: Ecological information

12.1. Toxicity Aquatic toxicity

LC50/96h/rainbow trout => 100 mg/l
EC50/48h/daphnia => 100mg/l , OECD 202
EC50/72h/algae => 100 mg/l , OECD 201

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or	vPvB substance or mixture.	
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Eorogalatione	
Regulation (EC) No. 1005/20 Not listed.	09 on substances that deplete the ozone layer, Annex I
Regulation (EC) No. 1005/20 Not listed.	09 on substances that deplete the ozone layer, Annex II
	4 On persistent organic pollutants, Annex I as amended
	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
	2 concerning the export and import of dangerous chemicals, Annex V as amended
	6 Annex II Pollutant Release and Transfer Registry
	06, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/201 Not listed.	1 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907/20	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed. Directive 2004/37/EC: on the work	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not regulated.	
Other EU regulations	
Directive 2012/18/EU on maj Not listed.	or accident hazards involving dangerous substances, as amended
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.

SECTION 16: Other information

SECTION 16. Other Infor	haton
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Cada of Faderal Demulations
COC	Code of Federal Regulations
000	Cleveland Open Cup
DOT	
	Cleveland Open Cup
DOT	Cleveland Open Cup Department of Transportation
DOT EPCRA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA)
DOT EPCRA IARC	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer
DOT EPCRA IARC NIOSH	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health
DOT EPCRA IARC NIOSH NTP	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program
DOT EPCRA IARC NIOSH NTP OSHA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration
DOT EPCRA IARC NIOSH NTP OSHA PEL	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL SARA	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit Superfund Amendments and Reauthorization Act of 1986
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL SARA STEL	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit Superfund Amendments and Reauthorization Act of 1986 Short-Term Exposure Limit
DOT EPCRA IARC NIOSH NTP OSHA PEL RCRA REC REL SARA STEL TCLP	Cleveland Open Cup Department of Transportation Emergency Planning and Community Right-to-Know Act (aka SARA) International Agency for Research on Cancer National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Permissible Exposure Limit Resource Conservation and Recovery Act Recommended Recommended Exposure Limit Superfund Amendments and Reauthorization Act of 1986 Short-Term Exposure Limit Toxicity Characteristics Leaching Procedure

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	s), where applicable, completes an extended product 3D3.
	Up to 9 hours por day
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and after work.	
Keep good industrial hygiene and safety practice.	
Use only with adequate ventilation.	
Do no eat, drink or smoke when using this product.	
Wash contaminated clothing before reuse.	
Store at room temperature.	
Environmental measures	
Do not allow this material to dra	in into cowors/water supplies
	ding to Local, State, Federal and Provincial Environmental Regulations.
-	
Ensure collection and disposal with appropriately licenced waste contractor. Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	
SU7-Printing and reproduction media	
PC18-Inks and Toners	
PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
r NOC2-Chemical production of r	ennery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3- Manufacture or formula condition	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment
PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities	
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading to inclusion into/onto article	
ERC8c-Widespread use leading to inclusion into/onto article (indoor)	
Additional information on product composition	
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.	
Most of the water based inks are "not classified".	
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.	
All ingredients contributing to the classification are stated in Section 3 of the SDS.	
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.	
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these	
	WB01_English.pd