

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

of the mixture

Trade name or designation

HP Color LaserJet CF410A-X-XC Black Print Cartridge

Registration number

None

**Synonyms** 

16-Oct-2015 Issue date

Version number 05

**Revision date** 20-Jan-2019 31-Mar-2016 Supersedes date

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is a black toner preparation that is used in HP Color LaserJet Pro M452, HP Color

LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.

Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited Cain Road. Amen Corner Bracknell, Berkshire RG12 1HN

United Kingdom

**Telephone** 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

hpcustomer.inquiries@hp.com Email:

1.4 Emergency telephone

number

0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Carbon black, Styrene acrylate copolymer, Wax

**Hazard pictograms** None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements** 

**Precautionary statements** 

Not available. Prevention Not available. Response Not available. Storage Not available. **Disposal** 

Supplemental label information None.

Material name: CF410A-X-XC SDS UK

13773 Version #: 05 Revision date: 20-Jan-2019 Issue date: 16-Oct-2015

#### 2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Carbon black	<10	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
Wax	<10	Trade Secret	-	-	
Classification: -		-			

#### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion** Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

4.2. Most important symptoms

and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

### **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

# SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Minimize dust generation and accumulation.

personnel

Material name: CF410A-X-XC SDS UK

For emergency responders Not available.

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Occupational exposure limits

#### **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3
,	TWA	3.5 mg/m3

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Pre

Not available.

#### Derived no effect levels (DNELs)

Туре	Route	Value	Form
Consumers	Inhalation	1.75 mg/m3	Local long term
	Inhalation	0.06 mg/m3	Systemic long term
Workers	Inhalation	2 mg/m3	Local long term
	Inhalation	1 mg/m3	Systemic long term
s)			
Type	Route	Value	Form
Not applicable	Freshwater	5 mg/l	
	Consumers Workers  Type	Consumers Inhalation Inhalation Workers Inhalation Inhalation Inhalation Inhalation Inhalation Route	Consumers  Inhalation Value

, 5 mg/m3 (Respirable Fraction) **Exposure guidelines** 

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

Marine water 5 mg/l

1/-1--

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

#### 8.2. Exposure controls

### Appropriate engineering controls

Use in a well ventilated area.

#### Individual protection measures, such as personal protective equipment

No personal respiratory protective equipment required under normal conditions of use. **General information** 

Eye/face protection Not available.

Skin protection

- Hand protection Not available. - Other Not available. Respiratory protection Not available. Not available. Thermal hazards

Material name: CF410A-X-XC SDS UK

Not available. Hygiene measures Not available. **Environmental exposure** 

controls

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Fine powder **Appearance** 

Solid. **Physical state** solid **Form** Color Black

Odor Slight plastic odor **Odor threshold** Not available. pН Not applicable Not available. Melting point/freezing point Initial boiling point and boiling Not applicable

range

Not applicable Flash point **Evaporation rate** Not applicable Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Not flammable

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not applicable Vapor density Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not applicable > 392 °F (> 200 °C) **Decomposition temperature** Not applicable Viscosity Not available. **Explosive properties** 

No information available. **Oxidizing properties** 

9.2. Other information

0 % estimated Percent volatile

176 - 266 °F (80 - 130 °C) Softening point

Specific gravity 1 - 1.2 (H2O = 1)

### **SECTION 10: Stability and reactivity**

Not available. 10.1. Reactivity

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

Carbon monoxide and carbon dioxide. 10.6. Hazardous

decomposition products

# **SECTION 11: Toxicological information**

Not available. **General information** 

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Contact with skin may result in mild irritation. Eye contact Contact with eyes may result in mild irritation. Ingestion Ingestion is not a likely route of exposure.

Material name: CF410A-X-XC

Not available. **Symptoms** 

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Components **Species Test Results** 

Carbon black (CAS 1333-86-4)

**Acute** Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Skin sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the ingredients have been classified as carcinogens

according to EU, IARC, MAK, NTP, OSHA or ACGIH.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Specific target organ toxicity - Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

single exposure Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

Based on available data, the classification criteria are not met.

Mixture versus substance

information

**Aspiration hazard** 

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**SECTION 12: Ecological information** 

LC50: > 100 mg/l, Fish, 96.00 Hours 12.1. Toxicity

**Product Species Test Results** 

CF410A-X-XC

Aquatic

Fish LC50 Fish > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

Not available. 12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow) Not available.

**Bioconcentration factor (BCF)** 12.4. Mobility in soil

Not available. Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

Not available Residual waste Not available. Contaminated packaging

Material name: CF410A-X-XC SDS UK EU waste code Not available.

**Disposal methods/information** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

#### **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Not available.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

Material name: CF410A-X-XC SDS UK

13773 Version #: 05 Revision date: 20-Jan-2019 Issue date: 16-Oct-2015

#### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

### Full text of any H-statements not written out in full under Sections 2 to 15

None.

#### **Revision information**

SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture SECTION 6: Accidental release measures: 6.3. Methods and material for containment and cleaning up

SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 15: Regulatory information: Other information SECTION 15: Regulatory information: National regulations

SECTION 16: Other information: Disclaimer

SECTION 16: Other information: Information on evaluation method leading to the classification of mixture

SECTION 16: Other information: References

SECTION 16: Other information: Training information Follow training instructions when handling this material.

Training information Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CF410A-X-XC SDS UK

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF410A-X-XC