

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation	HP Color LaserJet Q5950A-AC Black Print Cartridge
of the mixture	
Registration number	-
Synonyms	None.
Issue date	26-Jun-2015
Version number	03
Revision date	25-Oct-2018
Supersedes date	24-Sep-2015
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	This product is a black toner preparation that is used in HP Color LaserJet 4700 series printers.
Uses advised against	None known.
1.3. Details of the supplier of th	e safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Amorphous silica, Carbon black, Styrene acrylate copolymer, Wax
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

#### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures General information Chemical name

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Wax	<15	Trade Secret	-	-	
Classification: -		-			
Carbon black	<6	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:					
Amorphous silica	<2	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

### **SECTION 4: First aid measures**

General information	Not available.
4.1. Description of first aid meas	sures
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.
SECTION 5: Firefighting n	neasures
General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, protec	
For non-emergency personnel	Minimize dust generation and accumulation.
For emergency responders	Not available.
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
6.3. Methods and material for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
6.4. Reference to other sections	Not available.

7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
7.3. Specific end use(s)	Not available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

Components	Туре		Value		
Carbon black (CAS 1333-86-4)	STEL		7 mg/m3		
,	TWA		3.5 mg/m3		
iological limit values	No biological exposure limits noted for the ingredie		nt(s).		
ecommended monitoring rocedures	Not available.				
erived no effect levels (DNELs)	)				
Components	Туре	Route	Value	Form	
Carbon black (CAS 1333-86-4	4) Consumers	Inhalation	1.75 mg/m3	Local long term	
		Inhalation	0.06 mg/m3	Systemic long term	
	Workers	Inhalation	2 mg/m3	Local long term	
		Inhalation	1 mg/m3	Systemic long term	
redicted no effect concentratio	ons (PNECs)				
Components	Туре	Route	Value	Form	
Carbon black (CAS 1333-86-4	4) Not applicable	Freshwater Marine water	5 mg/l 5 mg/l		
xposure guidelines	, 5 mg/m3 (Respirable Fraction)				
	, 3 mg/m3 (Respirable Particulate)				
	, 3 mg/m3 (Respirable Particula	ite)			
	, 3 mg/m3 (Respirable Particula Amorphous silica: USA OSHA mg/m3		opcf 80 (mg/m3)/%	%SiO2, ACGIH (TWA/TLV):	
	Amorphous silica: USA OSHA	(TWA/PEL): 20 mp			
	Amorphous silica: USA OSHA mg/m3	(TWA/PEL): 20 mp mg/m3 (Einatemba	ire partikel), 3 mg		
2. Exposure controls	Amorphous silica: USA OSHA mg/m3 TRGS 900 (Luftgrenzwert) - 10	(TWA/PEL): 20 mp mg/m3 (Einatemba	ire partikel), 3 mg		
ppropriate engineering	Amorphous silica: USA OSHA mg/m3 TRGS 900 (Luftgrenzwert) - 10	(TWA/PEL): 20 mp mg/m3 (Einatemba	ire partikel), 3 mg		
ppropriate engineering ontrols	Amorphous silica: USA OSHA mg/m3 TRGS 900 (Luftgrenzwert) - 10 UK WEL: 10 mg/m3 (Respirable	(TWA/PEL): 20 mp mg/m3 (Einatemba e Dust), 5 mg/m3 (In	ire partikel), 3 mg		
ppropriate engineering ontrols	Amorphous silica: USA OSHA mg/m3 TRGS 900 (Luftgrenzwert) - 10 UK WEL: 10 mg/m3 (Respirable Use in a well ventilated area.	(TWA/PEL): 20 mp mg/m3 (Einatemba e Dust), 5 mg/m3 (In puipment	nre partikel), 3 mg	/m3 (Alveolengängige fraktio	
ppropriate engineering ontrols dividual protection measures,	Amorphous silica: USA OSHA mg/m3 TRGS 900 (Luftgrenzwert) - 10 UK WEL: 10 mg/m3 (Respirable Use in a well ventilated area. such as personal protective ec	(TWA/PEL): 20 mp mg/m3 (Einatemba e Dust), 5 mg/m3 (In puipment	nre partikel), 3 mg	/m3 (Alveolengängige fraktio	
General information	Amorphous silica: USA OSHA mg/m3 TRGS 900 (Luftgrenzwert) - 10 UK WEL: 10 mg/m3 (Respirable Use in a well ventilated area. <b>such as personal protective ec</b> No personal respiratory protect	(TWA/PEL): 20 mp mg/m3 (Einatemba e Dust), 5 mg/m3 (In puipment	nre partikel), 3 mg	/m3 (Alveolengängige fraktio	

Material name: Q5950A-AC

- Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Not available.
Environmental exposure controls	Not available.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	Fine powder	
Physical state	Solid.	
Form	solid	
Color	Black.	
Odor	Slight plastic odor	
Odor threshold	Not available.	
рН	Not applicable	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not applicable	
Flash point	Not applicable	
Evaporation rate	Not applicable	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not flammable	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not applicable	
Vapor density	Not applicable	
Solubility(ies)		
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not applicable	
Decomposition temperature	Not available.	
Viscosity	Not applicable	
Explosive properties	Not available.	
Oxidizing properties	No information available.	
9.2. Other information		
Percent volatile	0 % estimated	
Softening point	212 - 302 °F (100 - 150 °C)	
Specific gravity	1 - 1.2	

### **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

# **SECTION 11: Toxicological information**

#### **General information**

Inhalation

Not available.

# Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact	Contact with sl	kin may result in mild irritation.		
Eye contact	Contact with e	yes may result in mild irritation	l.	
Ingestion	Ingestion is not a likely route of exposure.			
Symptoms	Not available.			
11.1. Information on toxicologic	al effects			
Acute toxicity	Based on avail	lable data, the classification cr	iteria are not met.	
Components	Species		Test Results	
Carbon black (CAS 1333-86-4)				
Acute				
Oral				
LD50	Rat		> 10000 mg/kg	
Skin corrosion/irritation	Based on avail	lable data, the classification cr	iteria are not met.	
Serious eye damage/eye irritation	Based on avail	lable data, the classification cr	iteria are not met.	
Respiratory sensitization	Based on avail	lable data, the classification cr	iteria are not met.	
Skin sensitization	Based on avail	lable data, the classification cr	iteria are not met.	
Germ cell mutagenicity		Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on avail	lable data, the classification cr	iteria are not met.	
	2B) and by the organizations i bound within a bound form in the second s	State of California under Prop ndicate that exposure to carbo product matrix, specifically, ru	y the IARC (possibly carcinogenic to humans, Group position 65. In their evaluations of carbon black, both on black, per se, does not occur when it remains ubber, ink, or paint. Carbon black is present only in a other ingredients in this preparation are classified as , MAK, NTP or OSHA.	
IARC Monographs. Overall Carbon black (CAS 1333			carcinogenic to humans.	
Reproductive toxicity	Based on avail	able data, the classification cr	iteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - repeated exposure	Based on avail	lable data, the classification cr	iteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.			
Mixture versus substance information	Not available.			
Other information		tity data are not available for the not available for the notential health effects	his specific formulation and Section 4 for first aid measures.	
SECTION 12: Ecological i	nformation			
12.1. Toxicity	LL50: > 1000 r	ng/I, Rainbow Trout, 96.00 Ho	urs	
Product		Species	Test Results	
Q5950A-AC				
Aquatic				
Fish	LL50	Rainbow Trout	> 1000 mg/l, 96 Hours	
12.2. Persistence and degradability	Not available.			
12.3. Bioaccumulative potential	Not available.			
Partition coefficient n-octanol/water (log Kow)	Not available.			
Bioconcentration factor (BCF)	Not available.			
12.4. Mobility in soil	Not available.			
12.5. Results of PBT and vPvB assessment	Not a PBT or v	PvB substance or mixture.		

Not available.

12.6. Other adverse effects

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14: Transport information**

Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environn	nental regulations/legislation specific for the substance or mixture	
EU regulations		
Regulation (EC) No. 1005/200	09 on substances that deplete the ozone layer, Annex I	
Not listed.		
Regulation (EC) No. 1005/200	09 on substances that deplete the ozone layer, Annex II	
Not listed.		
•	4 On persistent organic pollutants, Annex I as amended	
Not listed.	Descention the superior and import of descentions, chamicals, Append Dest 4 on emended	
	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended	
Not listed. Regulation (EU) No. 649/2011	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended	
Not listed.	2 concerning the export and import of dangerous chemicals, Annex 1, 1 are 2 as amenaed	
	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended	
Not listed.		
Regulation (EU) No. 649/2012	2 concerning the export and import of dangerous chemicals, Annex V as amended	
Not listed.		
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry		
Not listed.		
• • •	06, REACH Article 59(1) Candidate List as currently published by ECHA	
Not listed.		
Authorizations		
Regulation (EC) No. 143/201	1 Annex XIV Substances Subject to Authorization	
Not listed.		
Restrictions on use		
Regulation (EC) No. 1907/200	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended	
Not listed.		
	protection of workers from the risks related to exposure to carcinogens and mutagens at	
work		
Not regulated.		
Other EU regulations		
-	or accident hazards involving dangerous substances, as amended	
Not listed.		
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU	
	(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,	
	New Zealand, and China.	
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.	
	Classification according to Regulation (EC) No 1272/2008 as amended.	
National regulations	Not available.	
15.2. Chemical safety	See attached SUMI or GEIS document, if applicable.	
assessment		

# **SECTION 16: Other information**

SECTION 16: Other Infor	mation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	None.
Revision information	<ol> <li>Product and Company Identification: Product and Company Identification</li> <li>SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture</li> <li>SECTION 6: Accidental release measures: 6.3. Methods and material for containment and</li> <li>cleaning up</li> <li>SECTION 11: Toxicological information: Eye contact</li> <li>SECTION 11: Toxicological information: Ingestion</li> <li>SECTION 11: Toxicological information: Inhalation</li> <li>SECTION 11: Toxicological information: Skin contact</li> <li>SECTION 11: Toxicological information: Other information</li> <li>SECTION 15: Regulatory information: National regulations</li> <li>SECTION 16: Other information: Information on evaluation method leading to the classification of mixture</li> <li>SECTION 16: Other information: References</li> <li>SECTION 16: Other information: Training information</li> </ol>
Training information Disclaimer	Follow training instructions when handling this material. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	countries. This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible
	supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

A 0.011	American Conference of Covernmental Industrial University
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds