

SAFETY DATA SHEET

1. Identification		
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Product identifier	HP Color LaserJet W2011A-X Cyan Print Cartridge	
Other means of identification	None.	
Recommended use	This product is a cyan toner preparation that is used in HP Color LaserJet Enterprise M856dn, M856x, HP Color LaserJet Managed E85055dn series printers.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
	HP Inc.	
	1501 Page Mill Road	
	Palo Alto, CA 94304-1112	
	United States	
Telephone	650-857-1501	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	Not available.	
Precautionary statement		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Hazard(s) not otherwise	None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP,	
classified (HNOC)	OSHA or ACGIH.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		CBI	<85
Water		7732-18-5	<20

Chemical name	Common name and synonyms	CAS number	%
Wax	Wax	CBI	<10
Pigment	Pigment	CBI	<5
Amorphous silica	Amorphous silica	7631-86-9	<3
4. First-aid measures			
Inhalation	Move person to fresh air immediately. If irrita	tion persists, consult a physicial	า.
Skin contact	Wash affected areas thoroughly with mild so develops or persists.	ap and water. Get medical atter	tion if irritation
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists, consult a physician.		
Ingestion	Rinse mouth out with water. Drink one to two physician.	glasses of water. If symptoms	occur, consult a
Most important symptoms/effects, acute and delayed	Not available.		
5. Fire-fighting measures			
Suitable extinguishing media	CO2, water, or dry chemical		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when fir dispersed in air.		
Special protective equipment and precautions for firefighters	Not available.		
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.		
Specific methods	None established.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.		
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a l damp cloth or vacuum cleaner. If a vacuum i explosion-proof. Fine powder can form explo federal, state, and local regulations.	s used, the motor must be rated	as dust
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.		
7. Handling and storage			
Precautions for safe handling	Keep out of the reach of children. Avoid inha adequate ventilation. Keep away from exces		
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tight away from strong oxidizers.	y closed and dry. Store at room	temperature. Store
8. Exposure controls/pers	onal protection		
Occupational exposure limits			
US. NIOSH: Pocket Guide to Components	Chemical Hazards Type	Value	
Amorphous silica (CAS	TWA	6 mg/m3	
7631-86-9)			

Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)	
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)	
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3	
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)	
Appropriate engineering controls	Use in a well ventilated area.	
Individual protection measures	, such as personal protective equipment	
Eye/face protection	Not available.	
Skin protection		
Hand protection	Not available.	
Other	Not available.	
Respiratory protection	Not available.	
Thermal hazards	Not available.	
9. Physical and chemical properties		
Appearance	Fine powder	
Physical state	Solid.	
Form	solid	
Color	Cyan	
Odor	Slight plastic odor	
Odor threshold	Not available.	

Negligible in water. Partially soluble in toluene and xylene.

1 - 1.2

Not applicable

Not available.

Not applicable

Not applicable

Not applicable

Not available.

Not flammable

Not available.

Not available. Not available.

Not applicable

Not applicable

Not available.

Not applicable

Not applicable

0 % estimated

> 392 °F (> 200 °C)

No information available.

176 - 266 °F (80 - 130 °C)

pН

range

Flash point Evaporation rate

(%)

(%)

Vapor pressure

Vapor density

Solubility(ies)

(n-octanol/water)

Other information

Viscosity

Solubility (water) Partition coefficient

Auto-ignition temperature

Decomposition temperature

Oxidizing properties

Percent volatile

Softening point

Specific gravity

Melting point/freezing point

Flammability (solid, gas)

Initial boiling point and boiling

Flammability limit - lower

Flammability limit - upper

Explosive limit - lower (%)

Explosive limit - upper (%)

Upper/lower flammability or explosive limits

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

information on likely routes of e	shhoanie		
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Ingestion is not a likely route of exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Information on toxicological eff	ects		
Acute toxicity	Based on available data, th	e classification criteria are not met.	
Product	Species	Test Results	
W2011A-X			
Acute			
LD50		> 2000 mg/kg	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, th	e classification criteria are not met.	
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, th	e classification criteria are not met.	
IARC Monographs. Overall	Evaluation of Carcinogenici	ty	
Not regulated.	ed Substances (29 CFR 1910		
Not listed.	ogram (NTP) Report on Carc	inogens	
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, th	e classification criteria are not met.	
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

12. Ecological information

Ecotoxicity

LC50: > 100 mg/l, Fish, 96.00 Hours

Product		Species	Test Results
W2011A-X			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
ersistence and degradability	Not available	9.	
sioaccumulative potential	Not available	9.	
lobility in soil	Not available	9.	
Other adverse effects	Not available	9.	
13. Disposal consideration	ons		
Disposal instructions	dispersed pa		ust-explosion prevention measures are taken. Finely e mixtures in air. Dispose of in compliance with federal,
	of HP origina	al inkjet and LaserJet sup	plies recycling program enables simple, convenient recyclin blies. For more information and to determine if this service sit http://www.hp.com/recycle.
14. Transport information	n		
urther information	Not a dange	rous good under DOT, IA	TA, ADR, IMDG, or RID.
15. Regulatory information	on		
IS federal regulations	US EPA TSO under TSCA		al substances in this product comply with all rules or orders
SARA 304 Emergency releated. Not regulated. OSHA Specifically Regulated. Not regulated.			0)
-	oouthorization	A of of 1096 (CADA)	
Superfund Amendments and R Hazard categories	Immediate H Delayed Haz Fire Hazard Pressure Ha Reactivity Ha	lazard - No zard - No - No zard - No	
SARA 302 Extremely hazar Not listed.	dous substan	ce	
SARA 311/312 Hazardous chemical	No		
Other federal regulations			
Clean Air Act (CAA) Sectio	n 112 Hazardo	us Air Pollutants (HAPs) List
Not regulated. Clean Air Act (CAA) Sectio			
Not regulated. Clean Air Act (CAA) Sectio Not regulated.	n 112(r) Accide	ental Release Prevention	
Not regulated. Clean Air Act (CAA) Sectio		ental Release Prevention	
Not regulated. Clean Air Act (CAA) Sectio Not regulated. Safe Drinking Water Act	n 112(r) Accide	ental Release Prevention	

16. Other information, including date of preparation or last revision

Issue date	26-Sep-2019
Revision date	09-Dec-2019
Version #	03
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Explanation of abbreviations	

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds