

**SAFETY DATA SHEET****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Product name:**

Cyan toner powder (cartridge) for  
C301/310/321/330/331 series  
C510/511/C530/C531 series  
C610/710/711 series  
C822/831/841 series  
C910 series  
MC332/342 series  
MC351/352/361/362 series  
MC561/562 series  
MC760/770/780 series  
MC853/873 series  
ES3032/3032a4 series  
ES3451/3452/3461 series  
ES5430/5431 series  
ES5461/5462 series  
ES6410/7411 series  
ES7460/7470/7480 series  
ES8431/8441 series  
ES8453 MFP/8473 MFP series  
ES9410 series  
(Toner powder name: ODC-8)

**Product description:**

Cyan Toner

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Material uses:**

For electrophotographic printing systems

**1.3 Details of the supplier of the safety data sheet****Manufacturer:**

OKI Data Corporation  
3-1 Futaba-cho, Takasaki-shi, Gunma. 370-8585 Japan  
Tel: +81 27-328-6366 Fax: +81-27-328-6398

**Supplier:**

OKI Europe Limited  
Blays House, Wick Road, Egham, Surrey, TW20 0HJ, UK  
Tel: +44 (0) 208 219 2190 Fax: +44 (0) 208 219 2199  
e-mail: SDSQuestions@okieurope.com

**1.4 Emergency telephone number****OKI Europe Limited:**

+44 (0) 208 219 2190  
(Supported 09:00 to 17:00 UK Time, Monday to Friday  
except Bank Holidays)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Product definition:**

Mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Not classified.

**Ingredients of unknown toxicity:**

Percentage of the mixture consisting of ingredient(s) of  
unknown toxicity: 1,9%

## SAFETY DATA SHEET

**Ingredients of unknown ecotoxicity:** Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 94,4%

**Classification according to Directive 1999/45/EC [DPD]**

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**Classification:** Not classified.

See Section 11 for more detailed information on health effects and symptoms.  
See Section 16 for the full text of the R phrases or H statements declared above.

**2.2 Label elements**

**Hazard pictograms:** No pictogram.  
**Signal word:** No signal word.  
**Hazard statements:** No known significant effects or critical hazards.  
**Precautionary statements**  
**Prevention:** Not applicable.  
**Response:** Not applicable.  
**Storage:** Not applicable.  
**Disposal:** Not applicable.

**Hazardous ingredients:**

**Supplemental label elements:** Safety Data Sheet available for professional user on request.

**2.3 Other hazards****Other hazards which do not result in classification:**

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

**SECTION 3: Composition/information on ingredients**

**Substance/mixture:** Mixture

Product/ingredient name	REACH Registration number	EC number	%	Classification		Type
				67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Paraffin bis(3,5-di-tert-butylsalicylato-01,02)zinc	01-0000015304-79	232-315-6 403-360-0	1 – 2.5 0.25 - 1	Not classified. F; R11 Xn; R22 N; R50/53  See Section 16 for the full text of the R-phrases declared above.	Not classified. Flam. Sol. 1, H228 Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410  See Section 16 for the full text of the H statements declared above.	[2] [1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard  
[2] Substance with a workplace exposure limit  
[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII  
[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

## SAFETY DATA SHEET

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- Protection of first-aiders:** No action shall be taken involving any personal risk or without suitable training.
- Eye contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion:** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed****Potential acute health effects**

- Eye contact:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
- Inhalation:** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact:** No known significant effects or critical hazards.
- Ingestion:** No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

- Eye contact:** Adverse symptoms may include the following:  
Irritation  
Redness
- Inhalation:** Adverse symptoms may include the following:  
Respiratory tract irritation  
Coughing
- Skin contact:** No specific data.
- Ingestion:** No specific data.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Notes to physician:** In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments:** No specific treatment.

# SAFETY DATA SHEET

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media:** Use dry chemical powder.

**Unsuitable extinguishing media:** Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

**Hazards from the substance or mixture:** Fine dust clouds may form explosive mixtures with air.

**Hazardous combustion products:** Decomposition products may include the following materials:  
Carbon dioxide  
Carbon monoxide  
Nitrogen oxides  
Halogenated compounds  
Metal oxide/oxides

### 5.3 Advice for firefighters

**Special precautions for firefighters:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# SAFETY DATA SHEET

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

**For emergency responders:** If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

**Small spill:** Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

**Large spill:** Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

Note:-See Section 1 for emergency contact information and Section 13 for waste disposal.

**6.4 Reference to other sections:** See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# SAFETY DATA SHEET

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

#### Protective measures:

Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

**Advice on general occupational hygiene:** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

#### Recommendations:

Not available.

#### Industrial sector specific solutions:

Not available.

## SAFETY DATA SHEET

**SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

**8.1 Control parameters****Occupational exposure limits**

Product/ingredient name	Exposure limit values
<b>Europe</b> Paraffin	<b>ACGIH TLV (United States, 1/2011).</b> TWA: 2mg/m <sup>3</sup> , 8 hour(s). Form: -Fume
<b>Germany</b> No exposure limit value known.	
<b>Spain</b> Paraffin	<b>INSHT (Spain, 2/2011).</b> TWA: 2mg/m <sup>3</sup> , 8 hour(s). Form: -Fume

**Recommended monitoring procedures:** If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

**DNELs/DMELs**

No DNELs/DMELs available.

**PNECs**

No PNECs available.

**8.2 Exposure controls****Appropriate engineering controls:**

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Individual protection measures****Hygiene measures:**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

# SAFETY DATA SHEET

**Eye/face protection:**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Recommended:

- Splash goggles
- Safety glasses with side-shields

**Skin protection****Hand protection:**

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

>8 hours (breakthrough time):

- Butyl rubber

**Body protection:**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Recommended:

- Lab coat
- Overall

**Other skin protection:**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:**

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Recommended:

- Approved/certified disposable particulate dust mask.

**Environmental exposure controls:**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Remark:**

The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as the thickness of them or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use



# SAFETY DATA SHEET

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state:	Solid. [Powder.]
Colour:	Blue.
Odour:	Odourless.
Odour threshold:	Not available.
pH:	Not applicable.
Melting point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash point:	Not available.
Evaporation rate (butyl acetate= 1):	Not available.
Flammability (solid, gas):	Not available.
Upper/lower flammability or explosive limits:	Not available.
Vapour density:	
Density:	Not available.
Solubility(ies):	Insoluble in the following materials: Cold water.
Partition coefficient n-octanol/water:	Not available.
Decomposition temperature:	Not available.
Viscosity ( Dynamic ):	
Explosive properties:	Explosive in the presence of the following materials or conditions: open flames, sparks and static discharge.
Oxidizing properties:	Not available.

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

10.1 Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability:	The product is stable.
10.3 Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid:	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
10.5 Incompatible materials:	Reactive or incompatible with the following materials: Oxidizing materials
10.6 Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SAFETY DATA SHEET

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

**Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Cyan toner.	LD50 Oral	Rat	>2000 mg/kg	-
bis(3,5-di-tert-butylsalicylato- O1 ,O2)zinc	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	1800 mg/kg	=

**Conclusion/Summary:** Not available.

**Acute toxicity estimates**

Not available.

**Irritation/Corrosion**

**Conclusion/Summary:**

**Skin:** Not available.

**Eyes:** Not available.

**Respiratory:** Not available.

**Sensitizer**

**Conclusion/Summary:**

**Skin:** Not available.

**Respiratory:** Not available.

**Mutagenicity**

**Conclusion/Summary:** Not available.

**Carcinogenicity**

**Conclusion/Summary:** Not available.

**Reproductive toxicity**

**Conclusion/Summary:** Not available.

**Teratogenicity**

**Conclusion/Summary:** Not available.

**Specific target organ toxicity (single exposure)**

Product/ingredient name	Category	Route of exposure	Target organs
Not available.			

**Specific target organ toxicity (repeated exposure)**

Product/ingredient name	Category	Route of exposure	Target organs
Not available.			

**Aspiration hazard**

Product/ingredient name	Result
Not available.	

**Information on the likely routes of exposure:** Not available.

**Potential acute health effects**

**Inhalation:**

Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

**Ingestion:**

No known significant effects or critical hazards.

**Skin contact:**

No known significant effects or critical hazards.

**Eye contact:**

Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.

## SAFETY DATA SHEET

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Inhalation:</b>	Adverse symptoms may include the following: Respiratory tract irritation Coughing
<b>Ingestion:</b>	No specific data.
<b>Skin contact:</b>	No specific data.
<b>Eye contact:</b>	Adverse symptoms may include the following: Irritation Redness

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

<b>Potential delayed effects:</b>	Not available.
<b>Potential immediate effects:</b>	Not available.

**Long term exposure**

<b>Potential immediate effects:</b>	Not available.
<b>Potential delayed effects:</b>	Not available.

**Potential chronic health effects**

Not available.

**Conclusion/Summary:**

<b>General:</b>	Not available. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
<b>Carcinogenicity:</b>	No known significant effects or critical hazards.
<b>Mutagenicity:</b>	No known significant effects or critical hazards.
<b>Teratogenicity:</b>	No known significant effects or critical hazards.
<b>Developmental effects:</b>	No known significant effects or critical hazards.
<b>Fertility effects:</b>	No known significant effects or critical hazards.
<b>Interactive effects:</b>	Not available.
<b>Absorption:</b>	Not available.
<b>Distribution:</b>	Not available.
<b>Metabolism:</b>	Not available.
<b>Elimination:</b>	Not available.
<b>Other information:</b>	Not available.

## SAFETY DATA SHEET

**SECTION 12: Ecological information****12.1 Toxicity**

Product/ingredient name	Result	Species	Exposure
bis(3,5-di-tert-butylsalicylato-01 ,02)zinc	Acute EC50 0,6 mg/L	Algae	72 hours
	Acute EC50 0,5 mg/L	Daphnia	48 hours
	Acute LC50 5,5 mg/L	Fish	96 hours
	Acute LC50 4,4 mg/L	Fish	96 hours

**Conclusion/Summary:** Not available.

**12.2 Persistence and degradability**

**Conclusion/Summary:** Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
bis(3,5-di-tert-butylsalicylato-01 ,02)zinc	-	-	Not readily

**12.3 Bioaccumulative potential:** Not available.

**12.4 Mobility in soil**

**Soil/water partition coefficient (K<sub>oc</sub>):** Not available.

**Mobility:** Not available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Other adverse effects:** No known significant effects or critical hazards.

**SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

**13.1 Waste treatment methods****Product**

**Methods of disposal:** The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

**Hazardous waste:** Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

**Packaging**

**Methods of disposal:** The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions:** This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# SAFETY DATA SHEET

## SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.	Not available.
Additional information	-		-	

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU Regulation (EC) No. 1907/2006 (REACH)**

**Annex XIV - List of substances subject to authorization**

**Substances of very high concern**

None of the components are listed.

**Other EU regulations**

**Germany**

**Hazard class for water:**

2 Appendix No. 4

**AOX:**

The product contains organically bound halogens and can contribute to the AOX value in waste water.

**Switzerland**

**VOC content:**

Liberated.

**International regulations**

**Registration status:**

**This refers only to country inventory status. Some countries may have additional importation requirements.**

Australia (AICS)

China (IECSC)

Canada (DSL)

European Union (EINECS or ELINCS)

Philippines (PICCS)

United States (TSCA)

**15.2 Chemical Safety Assessment:** This product contains substances for which Chemical Safety Assessments are still required.

## SAFETY DATA SHEET

**SECTION 16: Other information****Abbreviations and acronyms:**

ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation  
 [Regulation (EC) No.1272/2008]  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Classification	Justification
Not classified.	

**Europe****Full text of abbreviated H statements:**

H228 Flammable solid.  
 H302 Harmful if swallowed.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

**Full text of classifications [CLP/GHS]:**

Acute Tox. 4, H302 ACUTE TOXICITY: ORAL - Category 4  
 Aquatic Acute 1, H400 AQUATIC TOXICITY (ACUTE) -  
 Category 1  
 Aquatic Chronic 1, H410 AQUATIC TOXICITY (CHRONIC) -  
 Category 1  
 Flam. Sol. 1, H228 FLAMMABLE SOLIDS - Category 1

**Full text of abbreviated R phrases:**

R11- Highly flammable.  
 R22- Harmful if swallowed.  
 R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Full text of classifications [DSD/DPD]:**

F - Highly flammable  
 Xn – Harmful  
 N - Dangerous for the environment

**Form:**

ISS SDS GHS Europe (EU) REACH Annex II (Reg 453/2010)/CLP V4.2 - Europe

**Notice to reader**

*The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.*